



ESP Brake Fluid DOT 4 LV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 8/19/2022 Revision date: 1/19/2024 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : ESP Brake Fluid DOT 4 LV
UFI : C910-G008-E00S-ADWH
Product code : 8429

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Brake and Clutch Fluid

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Millers Oils Ltd
Hillside Oilworks
Rastrick Common
HD6 3DP Brighouse, West Yorkshire
United Kingdom
T +44 (0)1484 713201, F +44 (0)1484 721263
h.s@millersoils.co.uk

1.4. Emergency telephone number

Emergency number : +44 (0)1484 713201

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Reproductive toxicity, Category 2 H361d
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Suspected of damaging fertility or the unborn child.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS08

Signal word (CLP) : Warning
Contains : Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate
Hazard statements (CLP) : H361d - Suspected of damaging the unborn child.
Precautionary statements (CLP) : P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P101 - If medical advice is needed, have product container or label at hand.
P202 - Do not handle until all safety precautions have been read and understood.
P280 - Wear eye protection, face protection, protective clothing, protective gloves.
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.

ESP Brake Fluid DOT 4 LV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate	CAS-No.: 30989-05-0 EC-No.: 250-418-4 REACH-no: 01-2119462824-33	≥ 30	Repr. 2, H361d
2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutylether; butoxytriethylene glycol	CAS-No.: 143-22-6 EC-No.: 205-592-6 EC Index-No.: 603-183-00-0 REACH-no: 01-2119475107-38	$\geq 1 - < 10$	Eye Dam. 1, H318
Poly(oxy-1,2-ethanediyl), α -butyl- ω -hydroxy-	CAS-No.: 9004-77-7 EC-No.: 500-012-0 REACH-no: 01-2119475115-41	< 10	Eye Irrit. 2, H319
2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether substance with national workplace exposure limit(s) (BE, BG, CZ, DE, DK, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, RO, SE, SI, SK, AL, IS, NO, RS); substance with a Community workplace exposure limit	CAS-No.: 111-77-3 EC-No.: 203-906-6 EC Index-No.: 603-107-00-6 REACH-no: 01-2119475100-52	< 10	Repr. 1B, H360D

Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutylether; butoxytriethylene glycol	CAS-No.: 143-22-6 EC-No.: 205-592-6 EC Index-No.: 603-183-00-0 REACH-no: 01-2119475107-38	($20 \leq C < 30$) Eye Irrit. 2, H319 ($30 \leq C \leq 100$) Eye Dam. 1, H318
2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether	CAS-No.: 111-77-3 EC-No.: 203-906-6 EC Index-No.: 603-107-00-6 REACH-no: 01-2119475100-52	($3 \leq C \leq 100$) Repr. 1B, H360D

Full text of H- and EUH-statements: see section 16

ESP Brake Fluid DOT 4 LV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing and wash it before reuse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Get medical advice/attention if you feel unwell. Rinse mouth. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: None under normal use.
Symptoms/effects after skin contact	: None under normal conditions.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Strong water jet.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Stop leak if safe to do so. Absorb spillage to prevent material damage.
------------------	---

6.1.1. For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Ventilate spillage area. See section 8 of the SDS for more information on personal protective equipment.

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

ESP Brake Fluid DOT 4 LV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.3. Methods and material for containment and cleaning up

- For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
- Methods for cleaning up : Take up liquid spill into absorbent material. This material and its container must be disposed of in a safe way, and as per local legislation. Absorb spilled material with sand or earth.
- Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.
- Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Keep in a cool, well-ventilated place away from heat.
- Storage conditions : Store locked up.
- Packaging materials : Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether (111-77-3)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	2-(2-Methoxyethoxy)ethanol
IOEL TWA	50.1 mg/m ³
	10 ppm
Remark	Skin
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC
United Kingdom - Occupational Exposure Limits	
Local name	2-(2-Methoxyethoxy) ethanol
WEL TWA (OEL TWA)	50.1 mg/m ³
	10 ppm
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

ESP Brake Fluid DOT 4 LV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.4. DNEL and PNEC

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate (30989-05-0)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	8.3 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	29.1 mg/m ³
PNEC (Water)	
PNEC aqua (freshwater)	2.112 mg/l
PNEC (STP)	
PNEC sewage treatment plant	100 mg/l
2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutylether; butoxytriethylene glycol (143-22-6)	
DNEL/DMEL (Workers)	
Acute - systemic effects, dermal	400 mg/kg bodyweight/day
Acute - systemic effects, inhalation	96 mg/m ³
Acute - local effects, dermal	8.35 mg/cm ²
Acute - local effects, inhalation	96 mg/m ³
Long-term - systemic effects, dermal	1005 mg/kg bodyweight/day
Long-term - local effects, dermal	5.65 mg/cm ²
Long-term - systemic effects, inhalation	24 mg/m ³
Long-term - local effects, inhalation	30.5 mg/m ³
DNEL/DMEL (General population)	
Acute - systemic effects, dermal	200 mg/kg bodyweight/day
Acute - systemic effects, inhalation	48 mg/m ³
Acute - systemic effects, oral	103.4 mg/kg bodyweight/day
Acute - local effects, dermal	4.173 mg/cm ²
Acute - local effects, inhalation	48 mg/m ³
Long-term - systemic effects, oral	50.25 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	12 mg/m ³
Long-term - systemic effects, dermal	502.5 mg/kg bodyweight/day
Long-term - local effects, dermal	2.823 mg/cm ²
Long-term - local effects, inhalation	15.252 mg/m ³
PNEC (Water)	
PNEC aqua (freshwater)	100 mg/l
PNEC aqua (marine water)	142.57 mg/l
PNEC aqua (intermittent, freshwater)	22 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	11.115 mg/kg dwt
PNEC sediment (marine water)	1.1115 mg/kg dwt
PNEC (Soil)	
PNEC soil	11.51 mg/kg dwt

ESP Brake Fluid DOT 4 LV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutylether; butoxytriethylene glycol (143-22-6)	
PNEC (Oral)	
PNEC oral (secondary poisoning)	525.5 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	199.5 mg/l
2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether (111-77-3)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	2.22 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	50.1 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	7.5 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	30.1 mg/m ³
Long-term - systemic effects, dermal	1.33 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	12 mg/l
PNEC aqua (marine water)	1.2 mg/l
PNEC aqua (intermittent, freshwater)	12 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	44.4 mg/kg dwt
PNEC sediment (marine water)	0.44 mg/kg dwt
PNEC (Soil)	
PNEC soil	2.1 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	0.09 g/kg food
PNEC (STP)	
PNEC sewage treatment plant	10000 mg/l

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):



ESP Brake Fluid DOT 4 LV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: amber.
Odour	: mild.
Odour threshold	: Not available
Melting point	: < -50 °C Not applicable
Freezing point	: Not available
Boiling point	: > 260
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 120
Auto-ignition temperature	: > 280
Decomposition temperature	: 300 °C
pH	: 7 – 10.5
Viscosity, kinematic	: 5 – 10 @20oC
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 1 mPa
Vapour pressure at 50°C	: Not available
Density	: 1.02 – 1.07 g/cm ³
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

ESP Brake Fluid DOT 4 LV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate (30989-05-0)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: EU Method B.1 (Acute Toxicity (Oral))
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))
2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutylether; butoxytriethylene glycol (143-22-6)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure)
LD50 dermal rabbit	3540 mg/kg bodyweight Animal: rabbit, Animal sex: male, 95% CL: 1050 - 11800
Poly(oxy-1,2-ethanediyl), α -butyl- ω -hydroxy- (9004-77-7)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	3540 mg/kg bodyweight Animal: rabbit, Animal sex: male, 95% CL: 1050 - 11800
2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether (111-77-3)	
LD50 dermal rabbit	9404 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 6696 - 13212

Skin corrosion/irritation : Not classified
pH: 7 – 10.5

2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutylether; butoxytriethylene glycol (143-22-6)	
pH	7 Temp.: 20 °C Concentration:]70 vol%,80 vol%]

Serious eye damage/irritation : Not classified
pH: 7 – 10.5

ESP Brake Fluid DOT 4 LV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutylether; butoxytriethylene glycol (143-22-6)

pH	7 Temp.: 20 °C Concentration:]70 vol%,80 vol%]
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Suspected of damaging the unborn child.
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate (30989-05-0)

NOAEL (oral, rat, 90 days)	≥ 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
----------------------------	--

2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutylether; butoxytriethylene glycol (143-22-6)

LOAEL (oral, rat, 90 days)	1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (oral, rat, 90 days)	400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	4000 mg/kg bodyweight Animal: rat, Guideline: other:

Poly(oxy-1,2-ethanediyl), α-butyl-ω-hydroxy- (9004-77-7)

LOAEL (oral, rat, 90 days)	1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (oral, rat, 90 days)	400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)

2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether (111-77-3)

LOAEL (oral, rat, 90 days)	1800 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)
NOAEL (oral, rat, 90 days)	900 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)
NOAEC (inhalation, rat, vapour, 90 days)	> 1.06 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)

Aspiration hazard : Not classified

ESP Brake Fluid DOT 4 LV

Viscosity, kinematic	5 – 10 @20oC
----------------------	--------------

2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutylether; butoxytriethylene glycol (143-22-6)

Viscosity, kinematic	9.2 mm ² /s Temp.: 'other:' Parameter: 'kinematic viscosity (in mm ² /s)'
----------------------	---

Poly(oxy-1,2-ethanediyl), α-butyl-ω-hydroxy- (9004-77-7)

Viscosity, kinematic	9.2 mm ² /s Temp.: 'other:' Parameter: 'kinematic viscosity (in mm ² /s)'
----------------------	---

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

ESP Brake Fluid DOT 4 LV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

11.2.2. Other information

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate (30989-05-0)	
LC50 - Fish [1]	> 222.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
LC50 - Fish [2]	> 1010 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 211.2 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	> 960 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 224.4 mg/l Test organisms (species): other:
EC50 72h - Algae [2]	> 1020 mg/l Test organisms (species): other:

2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutylether; butoxytriethylene glycol (143-22-6)	
LC50 - Fish [1]	2200 – 4600 mg/l Test organisms (species): Leuciscus idus
LC50 - Fish [2]	2400 mg/l Test organisms (species): Pimephales promelas
EC50 72h - Algae [1]	1589 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	3211 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

Poly(oxy-1,2-ethanediyl), α -butyl- ω -hydroxy- (9004-77-7)	
LC50 - Fish [1]	> 1800 mg/l Test organisms (species): other:
EC50 - Crustacea [1]	> 3200 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	391 mg/l Test organisms (species): Skeletonema costatum

2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether (111-77-3)	
LC50 - Fish [1]	5741 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	1192 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	> 1000 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

12.2. Persistence and degradability

ESP Brake Fluid DOT 4 LV	
Persistence and degradability	Inherently biodegradable.

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate (30989-05-0)	
Persistence and degradability	Not rapidly degradable

ESP Brake Fluid DOT 4 LV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutylether; butoxytriethylene glycol (143-22-6)

Persistence and degradability | Not rapidly degradable

Poly(oxy-1,2-ethanediyl), α -butyl- ω -hydroxy- (9004-77-7)

Persistence and degradability | Not rapidly degradable

2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether (111-77-3)

Persistence and degradability | Not rapidly degradable

12.3. Bioaccumulative potential

ESP Brake Fluid DOT 4 LV

Bioaccumulative potential | Not expected to bioaccumulate due to the low log Kow (log Kow < 4).

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations : Disposal must be done according to official regulations.
Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Avoid release to the environment.
European List of Waste (LoW, EC 2000/532) : 16 01 13* - brake fluids

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not regulated for transport				
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

ESP Brake Fluid DOT 4 LV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

ESP Brake Fluid DOT 4 LV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit

ESP Brake Fluid DOT 4 LV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:

VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H360D	May damage the unborn child.
H361d	Suspected of damaging the unborn child.
Repr. 1B	Reproductive toxicity, Category 1B
Repr. 2	Reproductive toxicity, Category 2

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.